

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta, Inc.	
Contact information *	https://wwws.konicaminolta.net/neoqa/gl/about.php	KONICA MINOLTA
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Multifunction printer					
Commercial name *	bizhub					
Model number *	284e					
Issue date *	1 October 2014					
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information	version 1.1					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	bizhub 284e	Logo	
Issue date *	1 October 2014		
locae date	7 0010007 2077		KONICA MINOLTA

Product	roduct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			X
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			\boxtimes
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): env@konicaminolta.eu	\boxtimes		
P2	Batteries		•	
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	\boxtimes		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	X		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	bizhub 284e	Logo	
Issue date *	1 October 2014		KONICA MINOLTA

Produc	duct environmental attributes - Market requirements - Environmental conscious design Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information		_		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		┸	ш	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	X			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	X			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes	一一	一	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes	\dashv	一一	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	\overline{H}	一一	
	Product lifetime		_		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes	
P7.8*	Upgrading can be done using commonly available tools	一一	一一	\boxtimes	
P7.9.	Spare parts are available after end of production for: 7 years			$\overline{}$	
P7.10	Service is available after end of production for: 7 years	_		$\overline{\Box}$	
-	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC+ABS Material type: PC+PET Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		X		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	;	X		
D7.40	Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		Ш	
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(17)</i>	\boxtimes			
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	l			
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(40)	\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		X		
P7.20	Of total plastic parts' weight >25g, recycled material content is 7.1%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0.01%.				
P7.22	Light sources are free from mercury	\boxtimes			
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries				
P8 P8.1*	Battery chemical composition: <i>Lithium</i>				
P8.2	Batteries meet the requirements of the following voluntary program/s:			\dashv	
FO.Z	batteries meet the requirements of the following voluntary program/s.				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	bizhub 284e	Logo	
Issue date *	1 October 2014		
locat date	7 6016267 2077		KONICA MINOLTA

Product environmental at	uct environmental attributes - Market requirements (continued) Requirement met						
Item						Yes No	n.a.
	9 Energy consumption						
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Stan and test method	dard for energy modes *	
Maximum	W	W	1580 W		Corporate Stand without Opption		
Active (Printing)	W	W	520 W		RAL UZ-171		
Ready	W	W	160 W		RAL UZ-171		
Low power	W	W	30 W		RAL UZ-171		
Sleep	W	W	1.0 W		RAL UZ-171		
Plug-in off	W	W	0.03 W		RAL UZ-171		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W				
PTEC * Typical Energy Consumption	W	W	W				\boxtimes
TEC * Typical Energy Consumption	kWh/week	kWh/week	1.6 kWh/week		Energy Star		
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar			\boxtimes
Display resolution* : Me	egapixels						
Print Speed * : 28 Image	s per minute						
Default time to enter energy sa	ve mode: minutes						
P9.2* Information about t	he energy save functio	n is provided with th	e product.		l	\boxtimes	
	the energy requirement version: 2 Tier: Produc		oluntary program	n/s:			
P10 Emissions							
	Declared according to	ISO 9296					
P10.1 Mode N	Mode description		Declared A-weighted		Declared A	0	
			sound power			evel $L_{p{ m Am}}$ (dB)	
			level $L_{W extsf{Ad}}$ (B)	Ope	erator position		
					Desktop 🔲	(only if product is no	
	_				or Desk side 🔲	operator attended	
	* Ready		* 4.2		25.1		_
Operation * Other mode	Printing	,	* 6.8		50.6		$\sqcup \sqcup $
	🗸 1007770 🗖	FOMA 74					-
ivieasured according	_	ECMA-74	`MA 74 with I	mas	ouromont distance	, m)	
P10.2 The product meets	the acoustic noise req	if not covered by EC uirements of the follo					

Model number *	bizhub 284e	Logo		
Issue date *	1 October 2014		KONICA MINOLTA	

Product (environmental attributes - Market requirements (continued)	equire	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☐, other specify: RAL UZ-171	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust 1.6 Ozone 0.3 Styrene 0.2 Benzene 0.00 TVOC 1.04			
P10.5	Chemical emission requirements of the following columtary program/s RAL UZ-171are met for:	\boxtimes		
	Dust ☑ Ozon ☑ Styrene ☑ Benzene ☑ TVOC ☑			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			•
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\times
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation		•	•
P13.1*	Product packaging material type(s): wood weight (kg): 6.5			
	Product packaging material type(s): paper weight (kg): 5.2			
P13.2*	Product packaging material type(s): foamed PS weight (kg): 0.6 Product plastic packaging is free from PVC.		$\overline{}$	$\overline{}$
		\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🗵 Paper 🗵 Other 🗆			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
BTU (230v)	32.9 BTU/h The figure is based on the TEC value of 1.62 kWh / week (=24 h x 7 days)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19