

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Konica Minolta	Logo		
Company name *	Konica Minolta Business Technologies, Inc.			
Contact information *	https://wwws.konicaminolta.net/neoqa/gl/about.php	KONICA MINOLTA		
Internet site *	ttp://www.konicaminolta.com/index.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	ts given in this declaration.				
Type of product *	Multifunction printer				
Commercial name *	bizhub				
Model number *	C224				
Issue date *	25 January 2013				
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	version 1.1				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	X	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	bizhub C224		
Issue date *	25 January 2013	Logo	

Product	oduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	X		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	X		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	×		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	×		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			X
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			X
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			X
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			X
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): env@konicaminolta.eu	X		
P2	Batteries	·		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	X		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	X		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	X		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	X		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	X		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	X		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	X		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	X		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	X		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	ıl 🔀	Ш	Ш

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	bizhub C224		
Issue date *	25 January 2013	Logo	

	uct environmental attributes - Market requirements - Environmental conscious design			met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6 1*	Treatment information Information for recyclers/treatment facilities is available (see legal reference).	[a]		
P6.1*	information for recyclers/treatment facilities is available (see legal reference).	×	Ш	Ш
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable	X		
P7.2*			屵	
	Plastic materials in covers/housing have no surface coating.	X	_Ц	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	×		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	×		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			X
P7.8*	Upgrading can be done using commonly available tools			X
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years	_		
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7 10	Material type: PC+ABS Material type: PC+PET Material type: Electrical cable insulation materials of power cables are PVC free.			
P7.12	·	<u> </u>	X	<u> </u>
P7.13	Electrical cable insulation materials of signal cables are PVC free		X	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	X		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	;	X	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>	X		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(17)</i>	X		
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	ו 🗌		
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(40)	×		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		X	
P7.20	Of total plastic parts' weight >25g, recycled material content is 16%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0.1%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	X		
P8	Batteries Batteries	<u> </u>		•
P8.1*	Battery chemical composition: <i>Lithium</i>			
P8.2	Batteries meet the requirements of the following voluntary program/s:			
. 0.2	Battonico moci the requiremente of the following voluntary program/s.			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	bizhub C224		
Issue date *	25 January 2013	Logo	

Product e	duct environmental attributes - Market requirements (continued) Requirement me				met				
Item		. ,					Yes	No	n.a.
P9	Energy consumpt	ion							
9.1	.1 For the product the following power levels or energy consumptions are reported:								
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for	energy	
Maximum		W	W	1580 W		RAL UZ-122			
Active (Pri	inting)	W	W	460 W		RAL UZ-122			
Ready		W	W	143 W		RAL UZ-122			
Low powe	r	W	W	31 W		RAL UZ-122			
Sleep		W	W	3.7 W		RAL UZ-122			
Plug-in off	F	W	W	0.03 W		RAL UZ-122			
EPS No-loa	ad ower supply /	W	W	W					X
charger plu	gged in the wall isconnected from								
PTEC * Typical Ene	ergy Consumption	W	W	W					X
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	1.67 kWh/week	(Energy Star			
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/yea	ar				X
Display res	olution* : Me	egapixels		•					X
Print Speed	d * : 22 Image	s per minute							
Default time	e to enter energy sa	ve mode: minutes							
P9.2*	Information about t	he energy save function	n is provided with th	e product.	1		X		
P9.3*		the energy requirement version: 1.1 Tier:2 Production			n/s:		X		
P10	Emissions								
1 10		Declared according to	ISO 9296						
P10.1			Declared A-weighte	ed					
				A-weighted sound power		sound pressure level L_{pi}	_{Am} (dB	5)	
				level $L_{W extsf{Ad}}$ (B)	Oper	rator position Bysta	nder po		
						Desktop (only if	produc	t is not	
							ator att		
	Idle *	Ready	*	4.2		24			
	Operation *	Printing (b/w / color)	*	6.5 / 6.5		48 / 48			
	Other mode	. 🔽							
	Measured accordin	- <u>-</u>	ECMA-74	MΔ-74 with L	mean	surement distance m	2)		
P10.2	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m) P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: <i>RAL UZ-122</i>								

Model number *	bizhub C224		
Issue date *	25 January 2013	Logo	

Product e	environmental attributes - Market requirements (continued)	Requirement met				
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☐, other specify: <i>RAL UZ-122</i>	×				
P10.4	Typical emission rate (print phase) is (mg/h):					
	Dust 1.11 / 0.98 (b/w / color) Ozone 0.26 / 0.71 Styrene 0.219 / 0.344 Benzene 0.012 / 0.016 TVOC 3.596 / 8.961					
P10.5	Chemical emission requirements of the following columtary program/s RAL UZ-122 are met for:	X				
	Dust ☑ Ozon ☑ Styrene ☑ Benzene ☑ TVOC ☑	_	_			
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			X		
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	X				
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	X				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	×				
P12	Ergonomics for computing products		•			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			X		
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): wood weight (kg): 6.5					
	Product packaging material type(s): <i>paper</i> weight (kg): 6.3					
D 10 0*	Product packaging material type(s): foamed PS weight (kg): 0.6					
P13.2*	Product plastic packaging is free from PVC.	×				
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic Paper Other O					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)		•			
BTU	33.9 BTU/h The figure is based on the TEC value of 1.67 kWh / week (=24 h x 7 days)					
(230v)						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19