

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Business Technologies, Inc.	
Contact information *	https://wwws.konicaminolta.net/neoqa/gl/about.php	
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

The company declares (b	The company declares (based on product specification or test results based obtained from sample testing), that the product		
conforms to the statement	ts given in this declaration.		
Type of product *	Multifunction Printer		
Commercial name *	bizhub		
Model number *	C220		
Issue date *	Sep 1, 2009		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other		
Additional information	version 1.0		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control F		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	C220		
Issue date *	Sep 1, 2009	Logo	

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	n, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		<u> </u>	
P1.5*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🖂		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
D4 ob	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\bowtie
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\times
	microgram/cm ² /week (see legal reference).			-
D1 10*	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): env@konicaminolta.eu (EU countries only)	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
12.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica			
50	or data integrity reasons do not have to be "easily removable". (See legal reference)		· · ·	
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		Ц_	<u> </u>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)		Ц.	<u> </u>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * C220		C220					
Issue date *		Sep 1, 2009	Logo				
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes						
P6	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						
-	Design						
P7	Disassembly, recycling						
P7.1*	Parts that	t have to be treated separately are easily separable		\square			
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials. Image: Constraint of the series of						
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			╞		
	-				ᆜ	<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square			
	Product	lifetime					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	g can be done using commonly available tools					
P7.9.	Snare na	rts are available after end of production for: 7 years					
P7.10		s available after end of production for: 7 years		12			
17.10							
		and substance requirements					
P7.11*		cover/housing material type: type: PC+ABS Material type: Materia					
P7.12	Floctrico	type: PC+ABS Material type: Materia I cable insulation materials of power cables are PVC free.	ai type.				
				<u> </u>		<u> </u>	
P7.13		I cable insulation materials of signal cables are PVC free			\square		
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\square			
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (See	;	\boxtimes		
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\square			
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	nts):				
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR(17)</i>	25g according				
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ent: No legal limits exist, this is a market requirement.	s/preparations in	ı 🗌			
	1. Chemi 2. Chemi	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:					
	FR(17), I						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20		plastic parts' weight >25g, recycled material content is 0.1 %.					
P7.21		plastic parts' weight >25g, biobased material content is 0%.					
P7.22		irces are free from mercury y is used specify: Number of lamps: 1 and max. mercury content per lamp: 3.5 mg	l		\square		
P8	Batteries						
P8.1*		hemical composition: Lithium					
P8.2	Batteries	meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	C220		
Issue date *	Sep 1, 2009	Logo	

Product	Product environmental attributes - Market requirements (continued) Requirement				
Item	Item			Yes No n.a	
P9					
9.1	9.1 For the product the following power levels or energy consumptions are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *
Low Powe	er mode	66 W	64 W	66 W	RAL UZ-122
Off/Sleep	mode	9.8 W	8.6 W	9.9 W	RAL UZ-122
Stand-by	mode	126 W	134 W	134 W	RAL UZ-122
	ode (Copying)	543 W	540 W	570 W	RAL UZ-122
Maximum		1271 W	1242 W	1400 W	RAL UZ-122
Plug-in - c	off mode	0.005 W	0.007 W	0.028 W	RAL UZ-122
charger plu outlet but o the produc	bower supply / ugged in the wall disconnected from	W	W	W	
PTEC * Typical En	ergy Consumption	W	W	W	
TEC * Typical En	ergy Consumption	2.972 kWh/week	2.731 kWh/week	2.935 kWh/weel	k Energy Star
ETEC * Annual End	ergy Consumption	kWh/year	kWh/year	kWh/yea	r 🛛
Display res	solution* : M	egapixels	1	1	
Print Spee	d * : 22 Image	es per minute			
Default tim	e to enter energy sa	ve mode: minute	es		
P9.2*	Information about	the energy save functio	n is provided with th	e product.	
P9.3*		the energy requirement version: <i>1.1</i> Tier: 2 Pro			/s:
P10	Emissions	Dealers descending to	100 0000		
P10.1	A-weighted sound power level L _{WAd} (B) Desktop		sound pressure level L_{pAm} (dB) Operator position Desktop Operator position Operator positions		
	or Desk side		or Desk side operator attended)		
	Idle *	Stand-by		* 40 dB	19.5 dB
	Operation * Other mode	Operation		* 65.2 dB	48.0 dB
	Measured accordir	ng to: 🔀 ISO7779 🗌	ECMA-74		
	weasured accordin			bv ECMA-74 with	L _{pAm} measurement distance m)
P10.2	The product meets				rogram/s: RAL UZ-122

Model nur	nber *	C220				
Issue date	*	Sep 1, 2009	ogo			
	environn	nental attributes - Market requirements (continued)	F	Require		met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🔄, other specify: RAL U	Z-122	\square		
P10.4		emission rate (print phase) is (mg/h):				
		Dust 2.50 / 1.44 b/w / color Ozone 0.26 / 1.29 Styrene 0.082 / 0.219 Benzene	0.005 / 0.001			
D 40 5		856 / 1.610				
P10.5		al emission requirements of the following voluntary program/s RAL UZ-122 are met for $N = 10^{-122}$		\boxtimes		
	_		voc 🛛	÷		
P10.6		nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the follov	ing voluntary			
F10.0	program		ing voluntary			\bowtie
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require	ed (see P4.3).	\square		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	requirements of	\boxtimes		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		\boxtimes		
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologie	es.			\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>wood/ paper/ foamed PS</i> weight (kg): 9.0 / 9.3 / packaging material type(s): <i>foamed PP / foamed PE / PE</i> weight (kg): 0.1 / 0.1 / packaging material type(s): <i>PP / metal / others</i> weight (kg): 0.1 / 0.1 /	0.4			
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 🗌				
P13.4*	fiber: 0		sumer recycled	<u>.</u>		
P14		nal information (See Note B4)				
BTU 115v	55.5 BT	U/ h The figure is based on the TEC value of 2.731 kWh / week (=24 h x 7 day	s)			
BTU	59.6 BT	U/h The figure is based on the TEC value of 2.731 kWh / week (=24 h x 7 day	s)			
230V						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19