

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Konica Minolta	Logo
Company name *	Konica Minolta Business Technologies, Inc.	
Contact information *	https://wwws.konicaminolta.net/neoqa/gl/about.php	
Internet site *	http://www.konicaminolta.com/index.html	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multifunction Printer			
Commercial name *	bizhub			
Model number *	C452			
Issue date *	Sep 1, 2009			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	version 1.0			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	C452		
Issue date *	Sep 1, 2009	Logo	

Product	roduct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): env@konicaminolta.eu (EU countries only)			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	X		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	C452		
Issue date *	Sep 1, 2009	Logo	

Product	duct environmental attributes - Market requirements - Environmental conscious design			t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	<u> </u>
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		T	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can be done using commonly available tools		T	
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			一百
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>PC+ABS</i> Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(17)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.1 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3.5 mg		\boxtimes	
P8	Batteries			
P8.1*	Battery chemical composition: <i>Lithium</i>			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	C452		
Issue date *	Sep 1, 2009	Logo	

roduct environmental attributes - Market requirements (continued) Requirement met					
Item	Yes No n				
	Energy consumption				
9.1 For the product the following power levels or energy consumptions are reported:					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *	
Low Power mode	64 W	63 W	64 W	RAL UZ-122	
Off/Sleep mode	11.2 W	12.1 W	11.3 W	RAL UZ-122	
Stand-by mode	213 W	189 W	190 W	RAL UZ-122	
Active mode (Copying)	1110 W	1070 W	1110 W	RAL UZ-122	
Maximum	1440 W	1760 W	1800 W	RAL UZ-122	
Plug-in - off mode	0.005 W	0.010 W	0.31 W	RAL UZ-122	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W		
PTEC * Typical Energy Consumption	W	W	W		
TEC * Typical Energy Consumption	5.275 kWh/week	5.501 kWh/week	5.294 kWh/week	Energy Star	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/year		
Display resolution* : Me	Display resolution* : Megapixels				
Print Speed * : 45 Image	s per minute				
Default time to enter energy sa	ve mode: minute	es			
P9.2* Information about t	he energy save function	n is provided with th	e product.		
	the energy requirement version: 1.1 Tier: 2 Pro			s:	
P10 Emissions	<u> </u>	100 0000			
	Declared according to Mode description		Declared A-weighted sound power level L_{WAd} (B)	Declared A-weighted sound pressure level L_{pAm} (dB) Operator positions (only if product is not operator attended)	
Idle *	Stand-by	4	* 50.8 dB	32.6 dB	
Operation *	Operation	4	69.2 dB	54.4 dB	
Other mode					
Measured according	Other			L _{pAm} measurement distance m)	
P10.2 The product meets	The product meets the acoustic noise requirements of the following voluntary program/s: RAL UZ-122				

Model number *	C452		
Issue date *	Sep 1, 2009	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL UZ-122	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust 1.39 / 1.62 b/w / color Ozone 0.56 / 0.99 Styrene 0.198 / 0.604 Benzene 0.002 / 0.005			
	TVOC 4.070 / 12.790			
P10.5	Chemical emission requirements of the following voluntary program/s RAL UZ-122 are met for :	\boxtimes		
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	of 🔀		
D44.0*	EN12281.		_	_
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): wood/ paper/ foamed PS weight (kg): 22.6 / 21.9 / 2.5			
	Product packaging material type(s): foamed PP / foamed PE / PE weight (kg): 0.1 / 0.1 / 0.4			
D40.0*	Product packaging material type(s): <i>PP / metal / others</i> weight (kg): <i>0 / 0.7/0.2</i>			_
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		Щ
P13.3*				
	Electronic 🔲, Paper 🔲, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 0%	•		
P14	Additional information (See Note B4)			
BTU 115v	111.7 BTU/h The figure is based on the TEC value of 5.501 kWh / week (=24 h x 7 days)			
BTU	107.5 BTU/h The figure is based on the TEC value of 5.294 kWh / week (=24 h x 7 days)			
230v	107.0 D. O. H. The figure is based off the TEO value of 0.204 KMIT/ Week (-24 II X T days)			
L				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19